

[illegible]

Toksværd — Torkilstrup

Leadrunner: (03) 7 47 Leadrunner: (03) 4 06

[illegible]

Tølløse — Taastrup

Løsteværdier: (D) 4 85

Table with 2 columns: Name and Value. Includes entries like Jensen Hans, Rasmussen, etc.

Table with 2 columns: Name and Value. Includes entries like Larsen, Andersen, etc.

Table with 2 columns: Name and Value. Includes entries like Petersen, Nielsen, etc.

Table with 2 columns: Name and Value. Includes entries like Thomsen, Christensen, etc.

Table with 2 columns: Name and Value. Includes entries like Thomsen, Christensen, etc.

Taastrup

se register for Købstads

Table with 2 columns: Name and Value. Includes entries like Jansen Ulf Erik, Jansen Ulf Erik, Jansen Ulf Erik, etc.

Table with 2 columns: Name and Value. Includes entries like Christensen Jens P, Christensen Jens P, Christensen Jens P, etc.

Table with 2 columns: Name and Value. Includes entries like Jansen Ulf Erik, Jansen Ulf Erik, Jansen Ulf Erik, etc.

Ulse

Table with 2 columns: Name and Value. Includes entries like Løssammner: (03) 6 58, Løssammner: (03) 6 58, Løssammner: (03) 6 58, etc.

Table with 2 columns: Name and Value. Includes entries like Løssammner: (03) 6 58, Løssammner: (03) 6 58, Løssammner: (03) 6 58, etc.

Table with 2 columns: Name and Value. Includes entries like Løssammner: (03) 6 58, Løssammner: (03) 6 58, Løssammner: (03) 6 58, etc.

Undløse

Table with 2 columns: Name and Value. Includes entries like Løssammner: (03) 4 89, Løssammner: (03) 4 89, Løssammner: (03) 4 89, etc.

